

## GRAB BUCKETS & THUMBS

EXB-CGB2 • EXB-DGB • EX-CUT • EX-CWT • EX-CGT



1-800-565-5007 (CAN) • 1-800-867-1006 (USA) • WWW.CRAIGATTACHMENTS.COM

# GET A GRIP.

# **EX-CUT** UTILITY THUMB

Our signature thumb, the Craig Direct Link Utility **Thumb** is designed to mesh with the teeth of your specified bucket. This thumb provides superior grip and dexterity for day-in and day-out material

- Max visibility: Tucks close to the stick
- Intermeshes with bucket teeth
- Up to 120° of gripping rotation
- Works with more than one bucket
- Installation and hydraulic kits available

**EX-CGT** GRAB THUMB

#### LINKAGE STYLE

Our thumb profiles are available in three linkage styles, to best suit your needs.

- STICK/PAD MOUNT
- PROGRESSIVE LINK
- **DIRECT-LINK**

# **EX-CWT** WORKING THUMB

Optimized for increased reach with greater profile curvature, the Craig Working Thumb is designed to grapple larger objects, maintain grip, and to better suit the rotation of the bucket.

#### • Extra curl: Extended reach for a larger material grasp

- Optimal Roll-out angle from the stick for better reach
  - Installation and hydraulic kits available


### **CUSTOM THUMBS**

Can't find what you're looking for? No problem. Call us for a custom thumb, built exactly to your specifications.

1-800-565-5007

sales@craigattachments.com

#### The Craig Grab Thumb profile and design is optimized to suit the primary trenching bucket. Thumb tines are designed to match the tip radius of the bucket teeth to allow for precision grappling and placement of items. • Perfect "pinch" fit between thumb & bucket tip radius Max visibility: Tucks close to the stick Intermeshes with bucket teeth



# GET IT TOGETHER.



Wide selection of tooth systems and wear protection available to meet your specifications

### The Craig Grab Bucket 2 features a helical actuator that replaces standard cylinders, making the attachment more reliable and stronger than ever. The actuator produces up to 54,000 footpounds of torque at 3000 PSI, providing continuous grip throughout the entire bucket rotation. • Perfect for picking, sorting, and transferring material

**EXB-CGB2** GRAB BUCKET SERIES II

- Easily switch between machines quickly
- Helac actuator provides a steady grip
  - Easy install: No welding required
    - No exposed cylinder shafts







### **EXB-DGB** DUAL GRAB BUCKET

Our Craig Dual Grab Bucket is the perfect tool for land clearing and demolition job sites. It features dual thumb cylinders on the bucket for great gripping force that follows the bucket throughout the entire curl cycle. Both thumbs are mounted directly to the bucket, giving you superior machine versatility and allowing you to drop the entire thumb and bucket assembly as one piece.

- Ideal for demoliotion and land clearing
- Tines and sidecutters serrated for additional grip
- Independent tines clear the stick in open position
- Easily pick up uneven loads

1-800-565-5007 sales@craigattachments.com



Available in Wedge Lock, Pin-on, S-Series, or Manual Bar Lock lugging





# HARTLAND OFFICE

96 McLean Avenue Hartland, New Brunswick E7P 2K5

• (506) 375-4493



315 Thompson Drive Cambridge, Ontario N1T 2B3

(519) 623-9500



#### BLACKFALDS OFFICE

88 27323 TWP Rd 394 Lacombe County, Alberta T4M 0S1

(403) 356-0048



#### LAWRENCEBURG OFFICE

88 27323 TWP Rd 394 Ethridge, Tennessee 38456

1 (800) 867-1006



1-800-565-5007 (CAN) • 1-800-867-1006 (USA) WWW.CRAIGATTACHMENTS.COM

Print date: 05/27/24